



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208

Phone: 8870279

TEST REPORT

Test Report No. 6766

Your Reference No. 36.05.000.03.42.0056.2019(Pt-1)/5055

Date of received of sample: 13-02-2019

Identification of test items: **Fermented Milk (Sweet Doi)**

Century Farms Ltd., Rashid Plaza, 20/5, Panthapath, Dhaka

Brand- Century Stated wt- 1 kg

Lab. Regn. No. **CH/6583/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 19-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.09	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.17	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.96	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb: BDL= Below Detection Limit.

Tested & Checked by

19.02.19

Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

19.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208

Phone: 8870279

TEST REPORT

Test Report No. 6765

Your Reference No. 36.05.000.03.42.0056.2019(Pt-1)/5055

Date of received of sample: 13-02-2019

Identification of test items: **Fermented Milk (Sour Doi)**

Mr. Baker Sweets, 20/3 Sundorom Plaza, West Panthapath, Kalabagan, Dhaka - 1205.

Brand- **MR. BAKER** Stated wt- **1 kg**

Lab. Regn. No. **CH/6582/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 19-02-2019

Sampling plan : **Not Mentioned**

157899

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.04	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.08	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.89	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

19.02.19
Md Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

19.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208

Phone: 8870279

TEST REPORT

Test Report No. 6764

Your Reference No. 36.05.000.03.42.0056.2019(Pt-1)/5055

Date of received of sample: 13-02-2019

Identification of test items: **Fermented Milk (Sweet Doi)**

Mr. Baker Sweets, 20/3 Sundorom Plaza, West Panthapath, Kalabagan, Dhaka- 1205.

Brand- **MR. BAKER** Stated wt- **1 kg**

Lab. Regn. No. **CH/6581/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 19-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.40	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.41	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.87	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

19.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

19.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208

Phone: 8870279

TEST REPORT

Test Report No. 6762

Your Reference No. 36.05.000.03.42.0056.2019(Pt-1)/5055

Date of received of sample: 13-02-2019

Identification of test items: **Fermented Milk (Sour Doi)**

Danish Dairy farm Ltd, Siddirgonj, Narayanganj.

Brand- **Ayran** Stated wt- **500 gm**

Lab. Regn. No. **CH/6552/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 19-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.22	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.03	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.63	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

19.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208


19.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6763

Your Reference No. 36.05.000.03.42.0056.2019(Pt-1)/5055

Date of received of sample: 13-02-2019

Identification of test items: **Fermented Milk (Sweet Doi)**

Akij Food and Beverage Ltd., Dhamrai, Dhaka.

Brand- **Farm Fresh** Stated wt- **500 gm**

Lab. Regn. No. **CH/6580/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 19-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	2.93	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.16	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.95	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

19.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

19.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6740
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Sour Doi)**
Akij Food and Beverage, Dhamrai, Dhaka.
Brand- Farm Fresh Stated wt- 500 gm
Lab. Regn. No. CH/6501/18-19
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : Not Mentioned

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	0.80	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.13	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.99	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

17-02-19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

17-02-19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6741

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Misty Doi)**

Pran Dairy Ltd. Palash, Narsingdi.

Brand- Pran Stated wt- 500 gm

Lab. Regn. No. CH/6503/18-19

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18 / 5479

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	2.86	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.29	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.76	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6742

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Sour Doi)**

Pran Dairy Ltd. Palash, Narsingdi.

Brand- Pran Stated wt- 500 gm

Lab. Regn. No. CH/6504/18-19

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.09	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.07	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.80	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

17.02.19

Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

12.02.19

Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.

44



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Handwritten signature and date: 17/02/19

15481

Test Report No. 6743
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Low Fat Doi)**
Pran Dairy Ltd. Palash, Narsingdi.
Brand- Pran Stated wt- 500 gm
Lab. Regn. No. **CH/6505/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	0.46	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.08	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.79	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by
Signature
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

Signature
17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.

66



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

[Handwritten signature]
AD

Test Report No. 6744
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Misty Doi)**
BRAC Dairy and Food, Gazipur.
Brand- **Aarong Dairy** Stated wt- **500 gm**
Lab. Regn. No. **CH/6508/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18 / **5482**
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.02	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.24	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.65	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb: BDL= Below Detection Limit.

Tested by *[Signature]* Checked by *[Signature]*
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

[Signature]
17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6745

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Sour Doi)**

BRAC Dairy and Food, Gazipur.

Brand- **Aarong Dairy** Stated wt- **500 gm**

Lab. Regn. No. **CH/6509/18-19**

Name and address of customers : **Director (CM), BSTI**
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.07	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.18	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.94	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

12.2.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.

66



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Handwritten signature and date: 29/02/19 AD

Test Report No. 6746
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Low Fat Doi)**
BRAC Dairy and Food, Joydebpur, Gazipur.
Brand- **Aarong Dairy** Stated wt- **500 gm** .
Lab. Regn. No. **CH/6510/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : **Not Mentioned**

Handwritten number: 15484

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	0.71	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	2.98	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.87	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb: BDL= Below Detection Limit.

Tested & Checked by
Signature
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

Signature
17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6747

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Misty Doi)**

Eagle Dairy, Shampur, Dhaka.

Brand- **IGLOO** Stated wt- **500 gm**

Lab. Regn. No. **CH/6512/18-19**

Name and address of customers : **Director (CM), BSTI**
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**


Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.


SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.05	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.33	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.62	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by


17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208


17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.

3



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Handwritten signature and date: 29/02/19
Lab. Reference No. 36.05.0000.005.03.013.18 /5986
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : Not Mentioned

Test Report No. 6748
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Sour Doi)**
Eagle Dairy, Shampur, Dhaka.
Brand- **IGLOO** Stated wt- **500 gm**
Lab. Regn. No. **CH/6513/18-19**
Name and address of customers : Director (CM). BSTI
116/A Tejgaon I/A. Dhaka-1208.

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.26	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.19	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.90	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by
Handwritten signature
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

Handwritten signature
17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.

60



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6749
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Misty Doi)**
Grameen Danon Foods Ltd. Banani, Bogra.
Brand-SHOKTI Stated wt- 80 gm
Lab. Regn. No. CH/6514/18-19

Lab. Reference No. 36.05.0000.005.03.013.18
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : Not Mentioned

5987

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	2.02	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.03	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.78	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6750

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Misty Doi-Aam)**

Grameen Danon Foods Ltd. Banani, Bogra.

Brand-**SHOKTI** Stated wt- 80 gm

Lab. Regn. No. **CH/6515/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.98	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.14	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.63	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by

17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.

er



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Handwritten signature and date: 12/02/19

5489

Test Report No. 6751

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Misty Doi-Strawberry)**

Grameen Danon Foods Ltd. Banani, Bogra.

Brand-SHOKTI Stated wt- 80 gm

Lab. Regn. No. CH/6516/18-19

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : Not Mentioned

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.97	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.05	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.62	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by
Signature
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

Signature
12.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Handwritten signature and date: 29/02/19 AD

Handwritten number: 5490

Test Report No. 6752
Your Reference No. 36.05.000.03.42.0010.2011/5018
Date of received of sample: 12-02-2019
Identification of test items: **Fermented Milk (Misty Doi)**
M/S. Salam Dairy Farm, Basabo, Dhaka.
Brand- Salam Dairy Stated wt- 1.25 Kg
Lab. Regn. No. CH/6517/18-19
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18
Date of testing: 12-02-2019 to 17-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.69	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.99	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.89	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by
Handwritten signature
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

Handwritten signature
12.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6753

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Sour Doi)**

M/S. Salam Dairy Farm, Basabo, Dhaka.

Brand- Salam Dairy Stated wt- 500 gm

Lab. Regn. No. CH/6518/18-19

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18 / 5491

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : Not Mentioned

Test method/specification used: **BDS CAC-243:2015**


Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.25	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.46	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.83	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.


NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by


17.02.19

Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208

Authorized Signatory


MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6754

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Misty Doi)**

Well Food and Accessories Ltd. Shantinagar, Dhaka.

Brand-Well Food Stated wt- 900 gm

Lab. Regn. No. **CH/6519/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**

15492

[Handwritten signatures and dates: 29/02/19, AD]

Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	3.28	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.42	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.63	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35

Remarks:-The sample conforms to the requirements of the specification in respect of above tests.
NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested by *[Signature]* Checked by *[Signature]*
17.02.19
Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI, Dhaka-1208

[Signature]
17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- i) The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- ii) The report when required to quoted or reproduced has to reproduced or quoted in full.
- iii) Reports are not allowed to be used or reproduced for any commercial purpose.
- iv) Any complaint about test report should be reported within a month.
- v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208
Phone: 8870279

TEST REPORT

Test Report No. 6755

Your Reference No. 36.05.000.03.42.0010.2011/5018

Date of received of sample: 12-02-2019

Identification of test items: **Fermented Milk (Misty Do)**

Well Food and Accessories Ltd. Shantinagar, Dhaka.

Brand-Well Food Stated wt- 480 gm

Lab. Regn. No. CH/6520/18-19

Name and address of customers: Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.013.18

Date of testing: 12-02-2019 to 17-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC-243:2015**


Condition of test item: The sample selected for testing was in good condition. The sample was collected from open market, Dhaka.

SL.Nos.	Description of tests	Standard limits	Test Results	Reference Test Method
1.	Milk Fat content ,(% m/m)	Less than 15%	1.93	BDS 243:2015
2.	Milk Protein. (% m/m)	Min 2.7%	3.31	BDS 243:2015
3.	Titration Acidity Expressed as Lactic Acid,(% m/m)	Min 0.6%	0.83	BDS 243:2015
4.	Lead (as Pb), mg/Kg	0.02 (Max)	BDL	AOAC 973.35


Remarks:-The sample conforms to the requirements of the specification in respect of above tests.

NB: LOD (Lower Limit of Detection) = 5.0 ppb; BDL= Below Detection Limit.

Tested & Checked by


17.02.19

Md. Khalilur Rahman
Assistant Director
Chemical Testing Wing
BSTI Dhaka-1208


17.02.19
Authorized Signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

N.B:

- The results reported above pertain only to the sample supplied to & tested in the Laboratories.
- The report when required to quoted or reproduced has to reproduced or quoted in full.
- Reports are not allowed to be used or reproduced for any commercial purpose.
- Any complaint about test report should be reported within a month.
- The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of said report.