



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7170

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**

Danish Milk Bangladesh Ltd., Narayanganj.

Brand: **Danish,** Batch No. **309(03)B** Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6553/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A. Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.22	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.66	BDS 860:2001, APP-F
4.	Milk protein in milk solids	34 (Min)	35.31	
5.	Non-fat, %m/m			
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.60	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001,APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
24.02.19

Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7171

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Pran Dairy Milk, Palash, Narshingdi.**

Brand: **PRAN Milk, Batch No. B** Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6555/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.48	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.23	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.27	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.10	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

24.02.19

Monirul Islam

Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19

Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7172

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
BRAC Dairy & Food Products, Gazipur.**

Brand: **Aarong Dairy**, Batch No. **10211-07** Stated Qty : **500 gm**,

Lab. Regn. No. **CH/6556/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.37	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.17	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.36	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.80	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by
24.02.19
Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by
24.02.19
Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7173

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**

Newzealand Dairy Products Bangladesh Ltd., Narayanganj.

Brand: **Diploma, Batch No. A 30349 Stated Qty : 500 gm,**

Lab. Regn. No. **CH/6557/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop. Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.47	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.92	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.29	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	15.80	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by
24.02.19
Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by
24.02.19
Arifosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7174

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**

Newzealand Dairy Products Bangladesh Ltd., Narayanganj.

Brand: **Firmland Gold, Batch No. B 30908 Stated Qty : 500 gm,**

Lab. Regn. No. **CH/6558/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop. Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.39	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.05	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.34	
5.	Titratable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	14.20	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by
2021
24.02.19
Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by
[Signature]
24.02.19
Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

[Signature]
24.02.19
Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7175

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Newzealand Dairy Products Bangladesh Ltd., Narayanganj.**

Brand: **Anchor**, Batch No. **A 11508** Stated Qty : **500 gm**,
Lab. Regn. No. **CH/6559/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.56	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.90	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.30	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.90	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

MNI
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Artoosh
24.02.19

Artoosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
25.02.19

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

Phone:

8870279

TEST REPORT

Test Report No.7176

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Newzealand Dairy Products Bangladesh Ltd., Narayanganj.**

Brand: **Red Cow**, Batch No. **B31348** Stated Qty : **400 gm**,

Lab. Regn. No. **CH/6560/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.30	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.96	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.40	
5.	Titratable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.40	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001,APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

2021
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7177

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder , Nestle Bangladesh Ltd., Gazipur.**

Brand: **Nestle Everyday,** Batch No. **83470188 A-1**

Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6561/18-19**

Name and address of customers : **Director (CM), BSTI**

116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.**

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.17	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.10	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.42	
5.	Titratable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.50	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
24.02.19

Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- i) The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - ii) This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - iii) Reports are not allowed to be used or reproduced for any commercial purpose.
 - iv) Any complaint about test report if any should be reported within a month.
 - v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7178

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Nestle Bangladesh Ltd., Gazipur.**

Brand: **NIDO Fortigrow,** Batch No. **82930188 A-1**

Stated Qty : **350 gm,**

Lab. Regn. No. **CH/6562/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.46	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.59	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.41	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.30	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
24.02.19

Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7179

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Vitalac Dairy and Food Industries Ltd., Narshingdi.**

Brand: **Vitalac,** Batch No. **1042EC VITA 0928-G**

Stated Qty : **400 gm,**

Lab. Regn. No. **CH/6563/18-19**

Name and address of customers : Director (CM), BSTI

116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.22	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.02	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.35	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.20	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

2020
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

Phone:

8870279

TEST REPORT

86

Test Report No.7180

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**

Tanvir Food Ltd., Meghnaghat, Narayanganj.

Brand: **Fresh,** Batch No. **1751118G**

Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6564/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

15719

[Handwritten signatures and dates: 24/2/19, AD]

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.28	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.05	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.39	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.70	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

[Signature]
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

[Signature]
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

[Signature]
26.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7181

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Abul Khair Milk Products Ltd, Chattogram.**

Brand: **MARKS,** Batch No. **C/16**

Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6565/18-19**

Name and address of customers : **Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.**

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.**

Condition of test item: The sample was received in good condition. The sample was collected from Open Market { Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.20	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.61	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.38	
5.	Titrateable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.90	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
24.02.19

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

Phone:

8870279

TEST REPORT

82

Test Report No.7182

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Abul Khair Milk Products Ltd, Chattogram.**

Brand: **Starship,** Batch No. **C/05**

Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6566/18-19**

Name and address of customers : **Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.**

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

7/5717

[Handwritten signature]
24/2/19 AD

Test method/specification used: **BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.**

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Venture Capital Corporation, Nandon Mega Shop. Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.18	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.92	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.26	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.80	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

[Signature]
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

[Signature]
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

[Signature]
24.02.19

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7183
Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055
Date of receipt of sample : 13-02-2019
Identification of test items : **Full Cream Milk Powder ,
Arla Foods Bangladesh Ltd., Gazipur.**
Brand: **Dano Power,** Batch No. **1-279053**
Stated Qty : **500 gm,**
Lab. Regn. No. **CH/6567/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19
Date of testing: 13-02-2019 to 20-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.32	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	26.52	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.44	
5.	Titrateable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.60	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by
24.02.19
Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by
24.02.19
Partosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- i) The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - ii) This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - iii) Reports are not allowed to be used or reproduced for any commercial purpose.
 - iv) Any complaint about test report if any should be reported within a month.
 - v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

Phone:

8870279

TEST REPORT

Test Report No.7184

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**

Sun Dairy and Agro Products Ltd., Chattogram.

Brand: **Today,** Batch No. **1803A/2**

Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6568/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1,2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.54	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.33	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.32	
5.	Titrateable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	14.30	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

24.02.19

Monirul Islam

Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7185

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,
Rondhunu Agro and Beverage Ltd., Narayanganj.**

Brand: **Promex,** Batch No. **20**

Stated Qty : **500 gm,**

Lab. Regn. No. **CH/6569/18-19**

Name and address of customers : **Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.**

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.**

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {Venture Capital Corporation, Nandon Mega Shop, Plot-312(Old),37(New), Road-27(Old),16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.31	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.77	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.31	
5.	Titrateable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.00	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam

24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek

26.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone: 8870279

Test Report No.7186
Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055
Date of receipt of sample : 13-02-2019
Identification of test items : **Full Cream Milk Powder ,**
Tanvir Food Ltd., Meghnaghat, Narayanganj.
Brand: Fresh Insta, Batch No. 073118G
Stated Qty : 500 gm,
Lab. Regn. No. **CH/6575/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19
Date of testing: 13-02-2019 to 20-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {ACI Logistics Ltd., Shwapna Super Shop, Salam Vila, House-39, Road-27(Old), 16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.26	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.01	BDS 860:2001, APP-F
4.	Milk protein in milk solids	34 (Min)	35.46	
	Non-fat, %m/m			
5.	Titratable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.70	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
24.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone: 8870279

Test Report No. 7187
Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055
Date of receipt of sample : 13-02-2019
Identification of test items : **Full Cream Milk Powder**,
Newzealand Dairy Products Bangladesh Ltd., Narayanganj.
Brand: **Firmland**, Batch No. **A30079**
Stated Qty : 1 Kg,
Lab. Regn. No. **CH/6577/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19
Date of testing: 13-02-2019 to 20-02-2019
Sampling plan : **Not Mentioned**

15206

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {ACI Logistics Ltd., Shwapna Super Shop, Salam Vila, House-39, Road-27(Old), 16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.39	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.92	BDS 860:2001, APP-F
4.	Milk protein in milk solids	34 (Min)	35.24	
	Non-fat, %m/m			
5.	Titratable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	14.20	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

Phone:

8870279

TEST REPORT

64

Test Report No.7188

Your Reference No. 36.05.0000.08.85.65.19/9197

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**
M/S Danish Milk Bangladesh Ltd., Narayanganj.

Brand: **Danish,** Batch No. **1068(03)A**

Stated Qty : **500 mg,**

Lab. Regn. No. **CH/6639/18-19**

Name and address of customers : **Director (CM), BSTI,**
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 14-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

15703

[Handwritten signatures and initials]

Test method/specification used: **BDS CAC 207:2008 &**
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Meena Bazar, East Nasirabad, Sholoshohor, Chattogram) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.71	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.65	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.31	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.10	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

[Signature]
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

[Signature]
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

[Signature]
24.02.19

Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

Phone:

8870279

TEST REPORT

Test Report No.7189

Your Reference No. 36.05.0000.08.85.65.19/9197

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder**,
M/S Newzealand Dairy Products Bangladesh Ltd., Narayanganj.

Brand: **Anchor**, Batch No. **A11508**

Stated Qty : 500 mg,

Lab. Regn. No. **CH/6640/18-19**

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 14-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Meena Bazar, East Nasirabad, Sholosohor, Chattogram) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.63	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	27.16	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.33	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	13.00	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asst. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
25.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208

TEST REPORT

Phone:

8870279

Test Report No.7190

Your Reference No. 36.05.0000.08.85.65.19/9197

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder ,**
M/S Arla Foods Bangladesh Ltd., Gazipur.

Brand: **Arla Dano Power,** Batch No. **1-262053**

Stated Qty : **500 mg.**

Lab. Regn. No. **CH/6641/18-19**

Name and address of customers : **Director (CM), BSTI**
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: **14-02-2019 to 20-02-2019**

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC 207:2008 &**
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Meena Bazar, East Nasirabad, Sholosohor, Chattogram) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.54	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	26.60	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.38	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.20	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Monirul Islam
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
24.02.19

Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No.7191

Your Reference No. 36.05.0000.08.85.65.19/9197

Date of receipt of sample : 13-02-2019

Identification of test items : **Full Cream Milk Powder**,
M/S Abul Khair Milk Products Ltd, Chattogram.

Brand: Marks, Batch No. B/14

Stated Qty : 250 mg,

Lab. Regn. No. CH/6642/18-19

Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A. Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 14-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 &
Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market (Meena Bazar, East Nasirabad, Sholosohor, Chattogram) by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	2.35	BDS 860:2001, APP-B
3.	Milk fat, %m/m	Minimum 26% and less than 42%	28.66	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.42	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	12.10	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.35	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

ZM2R
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Paritosh Chandra Talukder
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

MD. Abu Tarek
25.02.19
Authorized signatory

MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka

- N.B
- The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - Reports are not allowed to be used or reproduced for any commercial purpose.
 - Any complaint about test report if any should be reported within a month.
 - The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone:

8870279

Test Report No. 7192

Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055

Date of receipt of sample : 13-02-2019

Identification of test items : **Skimmed Milk Powder, BRAC Dairy & Food Products, Gazipur.**

Brand: **Aarong Dairy, Batch No. 1L41001 Stated Qty: 400 gm**

Lab. Regn. No. **CH/6574/18-19**

Name and address of customers : **Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.**

Lab. Reference No. 36.05.0000.005.03.020.19

Date of testing: 13-02-2019 to 20-02-2019

Sampling plan : **Not Mentioned**

Test method/specification used: **BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.**

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {ACI Logistics Ltd., Shwapna Super Shop, Salam Vila, House-39, Road-27(Old), 16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits.	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	3.06	BDS 860:2001, APP-B
3.	Milk fat, %m/m	1.50 (Max)	0.98	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.61	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	15.40	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.40	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by

Signature
24.02.19

Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by

Signature
24.02.19

Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

Signature
24.02.19

Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- i) The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - ii) This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - iii) Reports are not allowed to be used or reproduced for any commercial purpose.
 - iv) Any complaint about test report if any should be reported within a month.
 - v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.

BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)

116/A, Tejgaon Industrial Area, Dhaka-1208.



TEST REPORT

Phone:

8870279

Handwritten notes and signatures:
24/2/19 AD
15202

Test Report No. 7193
Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055
Date of receipt of sample : 13-02-2019
Identification of test items : **Skimmed Milk Powder**
Abul Khair Milk Products Ltd, Chattogram.
Brand: **Marks Gold**, Batch No. Nil Stated Qty: **400 gm**
Lab. Regn. No. **CH/6576/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19
Date of testing: 13-02-2019 to 20-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {ACI Logistics Ltd., Shwapna Super Shop, Salam Vila, House-39, Road-27(Old), 16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits.	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	3.23	BDS 860:2001, APP-B
3.	Milk fat, %m/m	1.50 (Max)	0.99	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat. %m/m	34 (Min)	35.68	
5.	Titrate acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	15.30	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.40	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by
Signature
24.02.19
Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by
Signature
24.02.19
Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

Signature
24.02.19
Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- i) The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - ii) This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - iii) Reports are not allowed to be used or reproduced for any commercial purpose.
 - iv) Any complaint about test report if any should be reported within a month.
 - v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.



BANGLADESH STANDARDS AND TESTING INSTITUTION

(CHEMICAL TESTING WING)
116/A, Tejgaon Industrial Area, Dhaka-1208.

TEST REPORT

Phone: 8870279
24/2/19 AD
5205

Test Report No. 7194
Your Reference No. 36.05.000.03.42.0056.2019(Part-01)/5055
Date of receipt of sample : 13-02-2019
Identification of test items : **Skimmed Milk Powder**
Newzealand Dairy Products Bangladesh Ltd., Narayanganj.
Brand: **Shape Up**, Batch No. **B33118** Stated Qty: **400 gm**
Lab. Regn. No. **CH/6578/18-19**
Name and address of customers : Director (CM), BSTI
116/A Tejgaon I/A, Dhaka-1208.

Lab. Reference No. 36.05.0000.005.03.020.19
Date of testing: 13-02-2019 to 20-02-2019
Sampling plan : **Not Mentioned**

Test method/specification used: BDS CAC 207:2008 & Amendment No-1:2009 and GC-MS, FDA.

Condition of test item: The sample was received in good condition. The sample was collected from Open Market {ACI Logistics Ltd., Shwapna Super Shop, Salam Vila, House-39, Road-27(Old), 16(New), Dhanmondi R/A, Dhaka-1217} by the Surveillance Team of BSTI.

SL.Nos.	Description of test	Standard limits.	Test Results	Reference tests method
1.	Description	The material shall be white with greenish tinge or light cream in colour. It shall be free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	The sample is light cream in colour. It is free from lumps or caking, practically free from scorched particles, dirt and extraneous matter.	BDS 860:2001
2.	Water, % m/m	5.00 (Max)	3.35	BDS 860:2001, APP-B
3.	Milk fat, %m/m	1.50 (Max)	0.91	BDS 860:2001, APP-F
4.	Milk protein in milk solids Non-fat, %m/m	34 (Min)	35.66	
5.	Titrateable acidity (ml-0.1 N NaOH/10gm solids-Non-Fat)	18.00 (Max)	15.60	BDS 860:2001, APP-G
6.	Solubility Index, ml	1.00 (Max)	0.40	BDS 860:2001, APP-C
7.	Pathogenic Micro-organism (coliform)	Absent	Absent	BDS 860:2001, APP-J
8.	Melamine, mg/kg	1.00 (Max)	Below detection limit	FDA
9.	Lead (as Pb), mg/Kg	0.02 (Max)	Below Detection Limit	AOAC 973.35

Remarks:-The sample **conforms** to the requirements of the specification in respect of above tests.

Tested by
24.02.19
Monirul Islam
Senior Examiner (Chemical)
Chemical Testing Wing
BSTI, Dhaka.

Checked by
24.02.19
Paritosh Chandra Talukder
Asstt. Director (Chemical)
Chemical Testing Wing
BSTI, Dhaka-1208

24.02.19
Authorized signatory
MD. ABU TAREK
Deputy Director (Food & Bact.)
BSTI, Dhaka.

- N.B
- i) The results reported above pertain only to the sample supplied to and tested in the Laboratory.
 - ii) This report when required to be quoted or reproduced, has to be reproduced or quoted in full.
 - iii) Reports are not allowed to be used or reproduced for any commercial purpose.
 - iv) Any complaint about test report if any should be reported within a month.
 - v) The unspent portion of the samples may be auctioned/disposed off after three months from the date of issue of the said report.