



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মান ভবন, ১১৬/ক, তেজগাঁও শিল্প এলাকা, ঢাকা-১২০৮।

ফোন: ৫৫০৩০০৮৩, ৫৫০৩০০৫৪, ৫৫০৩০০৬৩; হট লাইন: ১৬১১৯;

Fax: 88-02-9131581, E-mail: dg@bsti.gov.bd, bsti@bangla.net, Website: www.bsti.gov.bd



মুজিববর্ষের দর্শন
টেকসই শিল্পায়ন।

Memo No. 36.05.0000.602.40.036.22 - ৫২ (৫)

Date: 29.06.2022

Proprietor
Pepco Bangladesh
4 No. Gopibagh, 3rd Lane
Dhaka-1203.

Subject: Import Permission for water meter.


The undersigned is directed to accord Import Permission of the following water meters under Revised Proforma Invoice No. 210162; Dated: 09.05.2022 based on Metric System which are intended to be imported from Baylan Olcu Aletleri Sanayi ve Ticaret Ltd., Turkey during in the year 2021-2022 subject to the conditions mentioned below:

- Non-metric equipment can not be imported.
- Dual or multi-purpose graduated equipment can not be imported.
- Graduation should be only in Metric System.
- Water Meters must be verified by BSTI Metrology Wing before marketing.

Detailed descriptions of the water meters are as follows:

Sl. No.	Name of goods	Capacity	Qty.	H.S. Code
1	DN 20mm (Model TK-2) Multi-Jet Dry Type Water Meter ready with pulse output equipped with stainless steel cup mineral glass and end connectors.	DN 20 mm	25,000 Pcs.	90282000
2	DN 25mm (Model TK-3C) Multi-Jet Dry Type Water Meter ready with pulse output equipped with stainless steel cup mineral glass and end connectors.	DN 25 mm	5,000 Pcs.	Do.
		Total-	30,000 Pcs.	

Therefore, it is requested to intimate this office in writing for verification and stamping the above mentioned articles as per 'The Bangladesh Standards of Weights and Measures Rules, 1982 & Amendment Rules, 2006' on arrival at the importer's premises.


(Engr. Md. Sajjadul Bari)
Director (Metrology)
Phone: 55030077

Copy for information and necessary action to:

- The Commissioner of Customs, Custom House, Chattogram.
- Assistant Director (CM) & Head of One Stop Service Centre, BSTI, Dhaka.
- ✓ Programmer, ICT Cell, BSTI, Dhaka (To upload in the BSTI Website).

Copy for information to:

- Chief Controller of Imports & Exports
NSC Tower, Level-15, 62/3, Purana Palton, Dhaka-1000.
- PA to Director General (Grade-1), BSTI, Dhaka.