



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মান ভবন, ১১৬/ক, তেজগাঁও শিল্প এলাকা, ঢাকা-১২০৮।

ফোন: ৫৫০৩০০৮৩, ৫৫০৩০০৫৪, ৫৫০৩০০৬৩; হট লাইন: ১৬১১৯;

Fax: 88-02-9131581, E-mail: dg@bsti.gov.bd, bsti@bangla.net, Website: www.bsti.gov.bd



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

Memo No. 36.05.0000.602.40.030.21 / 1410 (3)

Date: 28.07.2022

Proprietor  
Nashat Enterprise  
77/1, Siddheswari Road, Anarkoli Market (2<sup>nd</sup> Floor)  
Ramna, Dhaka-1217.

## Subject: Import Permission for weighing scales.


The undersigned is directed to accord Import Permission of the following weighing scales under Proforma Invoice No. 663260948; Dated: 12.05.2022 based on Metric System which are intended to be imported from Ohaus Europe GmbH, China during in the year 2022-2023 subject to the conditions mentioned below:

- Non-metric equipment can not be imported.
- Dual or multi-purpose graduated equipment can not be imported.
- Graduation should be only in Metric System.
- Weighing Scales must be verified by BSTI Metrology Wing before marketing.

Detailed descriptions of the weighing Scales are as follows:

| Sl. No. | Name of goods     | Capacity | Qty.    | H.S. Code |
|---------|-------------------|----------|---------|-----------|
| 1       | Scale             | 220 g    | 5 Pcs.  | 90160000  |
| 2       | Scale             | 220 g    | 5 Pcs.  | Do        |
| 3       | Scale             | 420 g    | 10 Pcs. | Do        |
| 4       | Scale             | 4200 g   | 5 Pcs.  | 90278000  |
| 5       | Moisture Analyzer | 90 g     | 2 Pcs.  | Do        |
| 6       | Moisture Analyzer | 120 g    | 5 Pcs.  | Do        |
| 7       | Scale             | 30 kg    | 15 Pcs. | 84238100  |
| 8       | Scale             | 60 kg    | 10 Pcs. | 84238210  |
| 9       | Scale             | 300 kg   | 5 Pcs.  | Do        |
| 10      | Scale             | 300 kg   | 10 Pcs. | Do        |
| 11      | Scale             | 320 g    | 5 Pcs.  | 90160000  |
|         |                   | Total-   | 77 Pcs. |           |

Therefore, it is requested to intimate this office in writing for verification and stamping the above mentioned articles as per 'The Bangladesh Standards of Weights and Measures Rules, 1982 & Amendment Rules, 2006' on arrival at the importer's premises.

  
(Engr. Md. Sajjadul Bari)  
Director (Metrology)  
Phone: 55030077

Copy for information and necessary action to:

- The Commissioner of Customs, Custom House, Chattogram.
- Assistant Director (CM) & Head of One Stop Service Centre, BSTI, Dhaka.
- Programmer, ICT Cell, BSTI, Dhaka (To upload in the BSTI Website).

Copy for information to:

- Chief Controller of Imports & Exports  
NSC Tower, Level-15, 62/3, Purana Palton, Dhaka-1000.
- PA to Director General (Grade-1), BSTI, Dhaka.



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মান ভবন, ১১৬/ক, তেজগাঁও শিল্প এলাকা, ঢাকা-১২০৮।

ফোন: ৫৫০৩০০৮৩, ৫৫০৩০০৫৪, ৫৫০৩০০৬৩; হট লাইন: ১৬১১৯;

Fax: 88-02-9131581, E-mail: dg@bsti.gov.bd, bsti@bangla.net, Website: www.bsti.gov.bd



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

Memo No. 36.05.0000.602.40.030.21/149(3)

Date: 28.07.2022

Proprietor  
Nashat Enterprise  
77/1, Siddheswari Road, Anarkoli Market (2<sup>nd</sup> Floor)  
Ramna, Dhaka-1217.

## Subject: Import Permission for weighing scales.


The undersigned is directed to accord Import Permission of the following weighing scales under Proforma Invoice No. 663273293; Dated: 20.06.2022 based on Metric System which are intended to be imported from Ohaus Europe GmbH, China during in the year 2022-2023 subject to the conditions mentioned below:

- Non-metric equipment can not be imported.
- Dual or multi-purpose graduated equipment can not be imported.
- Graduation should be only in Metric System.
- Weighing Scales must be verified by BSTI Metrology Wing before marketing.

Detailed descriptions of the weighing Scales are as follows:

| Sl. No. | Name of goods | Capacity | Qty.    | H.S. Code |
|---------|---------------|----------|---------|-----------|
| 1       | Scale         | 6 kg     | 5 Pcs.  | 84238100  |
| 2       | Scale         | 30 kg    | 6 Pcs.  | Do        |
| 3       | Scale         | 150 kg   | 1 Pc.   | Do        |
| 4       | Balance       | 4200 g   | 5 Pcs.  | 90160000  |
| 5       | Balance       | 420 g    | 10 Pcs. | Do        |
| 6       | Scale         | 3 kg     | 10 Pcs. | 84238100  |
| Total-  |               |          | 37 Pcs. |           |

Therefore, it is requested to intimate this office in writing for verification and stamping the above mentioned articles as per 'The Bangladesh Standards of Weights and Measures Rules, 1982 & Amendment Rules, 2006' on arrival at the importer's premises.

  
(Engr. Md. Sajjadul Bari)  
Director (Metrology)  
Phone: 55030077

### Copy for information and necessary action to:

- The Commissioner of Customs, Custom House  
Hosrat Shahjalal International Airport, Dhaka.
- Assistant Director (CM) & Head of One Stop Service Centre, BSTI, Dhaka.
- Programmer, ICT Cell, BSTI, Dhaka (To upload in the BSTI Website).

### Copy for information to:

- Chief Controller of Imports & Exports  
NSC Tower, Level-15, 62/3, Purana Palton, Dhaka-1000.
- PA to Director General (Grade-1), BSTI, Dhaka.