

বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মান ভবন, ১১৬/ক, তেজগাঁও শিল্প এলাকা, ঢাকা-১২০৮। ফোন: ৫৫০৩০০৮৩, ৫৫০৩০০৫৪, ৫৫০৩০০৬৩; হট লাইন: ১৬১১৯;

Fax: 88-02-9131581, E-mail: dg@bsti.gov.bd, bsti@bangla.net, Website: www.bsti.gov.bd

Memo No. 36.05.0000.602.40.009.22 - 989 (6)

Date: 13.01.2022

Miyako Appliance Limited Plot-50, Sector-03, Uttara C/A Dhaka-1230.

Subject: Import Permission for weighing scales.

The undersigned is directed to accord Import Permission of the following weighing scales under Commercial Invoice No. HY211108-06; Dated: Dec. 20, 2021 based on Metric System which are intended to be imported from Yongkang Huaying Weighing Apparatus Co. Ltd., China during in the year 2021-2022 subject to the conditions mentioned below:

i) Non-metric equipment can not be imported.

ii) Dual or multi-purpose graduated equipment can not be imported.

iii) Graduation should be only in Metric System.

iv) Weighing scales must be verified by BSTI Metrology Wing before marketing.

Detailed descriptions of the weighing scales are as follows:

Sl. No.	Name of goods Weight Scale	Capacity 40 kg	Qty. 3250 Pcs.	H.S. Code 8423.82.90
2	Weight Scale	25 kg	1200 Pcs.	8423.81.00
3	Weight Scale	10 kg	1000 Pcs.	Do.
		Total-	5450 Pcs.	

It is requested to intimate this office in writing for verification and stamping the above mentioned articles as per 'The Bangladesh Standards of Weights and Measures Rules, 1982 & Amendment Rules, 2006' on arrival at the importer's premises.

(Engr. Md. Sajjadul Bari)
Director (Metrology)
Phone: 55030077

Copy for information and necessary action to:

- 1. The Commissioner of Customs, Custom House, ICD, Kamalapur, Dhaka.
- 2. Assistant Director (CM) & Head of One Stop Service Centre, BSTI, Dhaka.
- 3. Programmer, ICT Cell, BSTI, Dhaka (To upload in the BSTI Website).

Copy for information to:

- Chief Controller of Imports & Exports NSC Tower, Level-15, 62/3, Purana Palton, Dhaka-1000.
- 2. PA to Director General (Grade-1), BSTI, Dhaka.