



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মান ভবন, ১১৬/ক, তেজগাঁও শিল্প এলাকা, ঢাকা-১২০৮।

ফোন: ৫৫০৩০০৮৩, ৫৫০৩০০৫৪, ৫৫০৩০০৬৩, ৫৫০৩০০৭৭ হট লাইন: ১৬১১৯

Fax: 88-02-9131581, E-mail: dg@bsti.gov.bd, bsti@bangla.net, Website: www.bsti.gov.bd



মুজিববর্ষের দর্শন
টেকসই শিল্পায়ন।

Memo No. 36.05.0000.603.41.005.22 | 255(3)

Date: 01.09.2022

Proprietor
Al-Noor Scientific Co.
27, Rasel Center 1st Floor, Hatkhola Road,
Tikatuly, Dhaka-11203, Bangladesh.

Subject: Import Permission for Volumetric measures.

The undersigned is directed to accord Import Permission of the following Volumetric measures under Pro-forma Invoice: 1006R; Dated: 31-03-2022 based on Metric System which are intended to be imported from OMSONS GLASSWARE PRIVATE LIMITED, INDIA during in the year 2022-2023 subject to the conditions mentioned below:

- Non-metric equipment can not be imported.
- Dual or multi-purpose graduated equipment can not be imported.
- Graduation should be only in Metric System.
- Volumetric measures must be verified by BSTI Metrology Wing before marketing.

Detailed descriptions of the Volumetric measures are as follows:

Sl. No.	Name of goods	Capacity	Qty.	H.S. Code
1.	Burette	25 mL	30 Pcs	70179010
2.	Burette	50 mL	40 Pcs	
3.	Burette	25 mL	20 Pcs	
4.	Burette	50 mL	20 Pcs	
5.	Burette	25 mL	6 Pcs	
6.	Burette	50 mL	6 Pcs	
7.	Measuring Cylinder	10 mL	40 Pcs	
8.	Measuring Cylinder	25 mL	40 Pcs	
9.	Measuring Cylinder	50 mL	50 Pcs	
10.	Measuring Cylinder	100 mL	100 Pcs	
11.	Measuring Cylinder	250 mL	40 Pcs	
12.	Measuring Cylinder	500 mL	20 Pcs	
13.	Measuring Cylinder	1000 mL	10 Pcs	
14.	Volumetric Flask	10 mL	100 Pcs	
15.	Volumetric Flask	25 mL	100 Pcs	
16.	Volumetric Flask	50 mL	100 Pcs	
17.	Volumetric Flask	100 mL	100 Pcs	
18.	Volumetric Flask	250 mL	100 Pcs	
19.	Volumetric Flask	500 mL	30 Pcs	
20.	Volumetric Flask	1000 mL	20 Pcs	
21.	Volumetric Flask	10 mL	30 Pcs	
22.	Volumetric Flask	25 mL	30 Pcs	
23.	Volumetric Flask	20 mL	20 Pcs	
24.	Volumetric Flask	50 mL	30 Pcs	
25.	Volumetric Flask	100 mL	30 Pcs	
26.	Volumetric Flask	250 mL	20 Pcs	

Signature
01/09/2022



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মান ভবন, ১১৬/ক, তেজগাঁও শিল্প এলাকা, ঢাকা-১২০৮।

ফোন: ৫৫০৩০০৮৩, ৫৫০৩০০৫৪, ৫৫০৩০০৬৩, ৫৫০৩০০৭৭ ফটোলাইন: ১৬১১৯


Fax: 88-02-9131581, E-mail: dg@bsti.gov.bd, bsti@bangla.net, Website: www.bsti.gov.bd



মুজিববর্ষের দর্শন
টেকসই শিল্পায়ন।

27.	Beaker	50 mL	100 Pcs	70179010	
28.	Beaker	100 mL	100 Pcs		
29.	Beaker	150 mL	60 Pcs		
30.	Beaker	250 mL	200 Pcs		
31.	Beaker	500 mL	100 Pcs		
32.	Beaker	1000 mL	60 Pcs		
33.	Beaker	2000 mL	20 Pcs		
34.	Beaker	250 mL	10 Pcs		
35.	Beaker	500 mL	10 Pcs		
36.	Beaker	1000 mL	10 Pcs		
37.	Pipette	1 mL	40 Pcs		
38.	Pipette	2 mL	40 Pcs		
39.	Pipette	5 mL	40 Pcs		
40.	Pipette	10 mL	40 Pcs		
41.	Pipette	1 mL	30 Pcs		
42.	Pipette	2 mL	30 Pcs		
43.	Pipette	3 mL	20 Pcs		
44.	Pipette	4 mL	20 Pcs		
45.	Pipette	5 mL	30 Pcs		
46.	Pipette	10 mL	30 Pcs		
		Total-	2122 Pcs		

Therefore, it is requested to intimate this office in writing for verification and stamping the above mentioned articles as per 'The Bangladesh Standards of Weights and Measures Rules, 1982 & Amendment Rules, 2006' on arrival at the importer's premises.


(Engr. Md. Sajjadul Bari)
Director (Metrology)
Phone: 55030077

Copy for information and necessary action to:

1. The Commissioner of Customs, Custom House, Benapole, Jashore.
2. Assistant Director (CM) & Head of One Stop Service Centre, BSTI, Dhaka.
3. Programmer, ICT Cell, BSTI, Dhaka (To upload in the BSTI Website).

Copy for information to:

1. Chief Controller of Imports & Exports
NSC Tower, Level-15, 62/3, Purana Palton, Dhaka-1000.
2. PA to Director General (Grade-1), BSTI, Dhaka.